



A QUALITY PRODUCT FROM **CENTURYPLY**

**TECHNICAL SPECIFICATIONS\*** IS:2202 (Part 1)

Moisture Content		10 - 12 (%)
Flatness of Shutter (twist, cupping and warping)		Not more than 1 mm
Local Planeness (surface smoothness)		Not more than 0.5 mm
Impact Indentation		Not more than 0.2 mm by a weight of 0.5 kg
Flexure Resistance (residual deflection)		Not more than 2 mm
Edge Loading		a) Residual deflection b) Lateral buckling
Shock Resistance		No visible damage after 25 blows of 5 kg
Buckling Resistance		a) Initial deflection b) Residual deflection
Slamming of the Shutter		No visible impact after 25 impacts of 15 kg
Misuse of the Shutter		No permanent deformation after the test
Varying Humidity (adverse weather conditions)		Dimensional changes within 5%
End Immersion		No delamination after immersion
Adhesion of Plies		Excellent
Glue Adhesion		No delamination of the glue line
Screw Holding Strength		>200 (kg)
Preservative Treatment		Two Tier Treatment: (1) Lumber & veneers are treated with preservatives (2) Glue line is fortified with non-leachable organophosphorous compound (USA technology)
Specific Gravity		0.60
Water Absorption		<2%
Nail Holding Strength		>100 (kg)

\*Conditions apply

**SURAKSHA KI GUARANTEE**  
**JO DE CHAIN KI NEEND**



**Century Plyboards (India) Limited**

Century House, P-15/1, Taratala Road, Kolkata - 700 088. • Tel.: (033) 3940 3950 • Fax: (033) 2248 3539

e-mail: [kolkata@centuryply.com](mailto:kolkata@centuryply.com) • [www.centurydoors.in](http://www.centurydoors.in)

For any queries, call us on 1800-2000-440 or give a missed call to 080-1000-5555

Follow us on: CenturyPlyOfficial CenturyPlyIndia CenturyPly1986



**CENTURYDOORS**



*Suraksha* (i.e. protection) is paramount when it comes to CenturyDoors. Your house is protected when you are outside and you are safe when inside. Stay insulated and secure from all worries or intrusions. And of course, since your door gives the first impression to your visitors, make an intelligent choice from a wide variety of impeccable designs by CenturyDoors. So go ahead, stay protected from all unwanted troubles in life as we assure you '*Suraksha ki Guarantee*'.

EXTREMELY DURABLE, HEAVY DUTY DOORS



Presenting boiling water proof doors of high density that act as excellent insulators against dust, heat and noise. Made from the finest quality timber for high resistance and quality, these flush doors are extremely durable and termite and borer proof.

**FEATURES**

- Slam proof doors
- Shower-safe technology, which guarantees minimum impact from exposure to hot water
- Climate stable with minimum expansion and contraction




\*Conditions apply



THE FIGHTER THAT STANDS AGAINST ALL ODDS



Presenting boiling water proof doors which are also borer and termite resistant. These eco-friendly doors are resistant to weathering agents and other harmful factors. Be it commercial or residential applications, Sainik Doors can protect any entrance, thanks to its modern technology and manufacturing process.



\*Conditions apply

CREATE AN INSTANT APPEAL



Whether your home or structure is traditional or contemporary, Panel Moulded CenturyDoors come in a range of crafted, designer looks that will create an instant appeal. Our products are ideal for both new construction as well as replacements during renovation and remodeling. You can choose from multiple design options, at your location and within your budget.

**FEATURES**

- Great aesthetic appeal and available in multiple designs & shades.
- Primered or white coloured doors allow easy painting and polishing as per the room interiors.
- Strong screw holding capacity and larger hardwood frames for higher strength and unmatched durability.
- Termite and borer resistant.
- Have a green advantage as they consume less wood and help conserve forests.



\*Conditions apply

ENOUGH REASONS TO STAND AND STARE

Choose from a wide variety of Laminated CenturyDoors. Designed in line with the latest international trends, these doors add a touch of class and practical elegance, instantly transforming entrances into works of art.

**FEATURES**

- Better strength and smooth finish
- Uniform thickness with flat finish
- Climate stable – warp and bend free
- 1mm – HPL conforming to IS 2046
- Wide range of laminates to select from



LAMINATED DOORS




For doors that will have your neighbours crushing on your high sense of aesthetics, switch to Decorative Veneer CenturyDoors. Available in a variety of shades and designs for every taste, these doors are built to last a lifetime. The durability, even surface and smooth finish guarantees making your door the talk of the town.

**FEATURES**

- Wide range of natural and recon veneers to select from
- Better strength and smooth finish
- Uniform thickness with flat finish
- Climate stable – warp and bend free



VENEERED DOORS



\*Conditions apply

THE PERFECT STABILITY  
YOUR DOOR NEEDS.



In CenturyDoors WPC Door Frames, polymers are reinforced by adding wood powder and fibres that are discharged from mills and factories as agricultural residues. Because of the high cellulose content, it assumes many of the same characteristics of wood.



\*Conditions apply

# 6 REASONS WHY CENTURYDOORS ARE THE SAFEST



## THE CENTURY DOORS ADVANTAGE

FEATURES	HOW DOES IT WORK	BENEFITS
IS 2202 CERTIFIED	ALL PARAMETERS ARE AS PER IS 2202	<b>STANDARD DOOR OFFERING</b>
3 TIER TREATMENT	LUMBER, CORE AND FACE IS TREATED WITH SPECIAL CHEMICALS	<b>COMPLETE PROTECTION AGAINST BORERS AND TERMITES</b>
KILN DRYING SEASONING	THE 'KILN' IS A CHAMBER EQUIPPED WITH ARRANGEMENTS FOR HEATING AND HUMIDIFYING THE DRYING AIR TO DESIRED CONDITIONS OF TEMPERATURE AND RELATIVE HUMIDITY AND FOR CIRCULATION OVER THE SURFACE OF TIMBER STACKED INSIDE	<b>HELPS TO STERILISE TIMBER FROM ALL FUNGI AND INSECTS IN THE WOOD</b>
BOTH SIDE LOCK AREA	3" WIDTH AND 18" HEIGHT	<b>END USER CAN USE IT FROM BOTH SIDES</b>
SCREW HOLDING – 40% ABOVE BIS SPECIFIED NORMS	DOOR IS MADE OF SUPERIOR QUALITY WOOD (WOODEN FRAME AND WOODEN FILLERS)	<b>HIGHER DENSITY GIVES HIGHER SCREW HOLDING CAPACITY, AND MORE LOAD BEARING CAPACITY</b>
SANDING	DONE IN SANDING MACHINE WITH GRID PAPER OF 220 ON BOTH SIDES	<b>EXCELLENT BONDING WITH LAMINATES</b>
EDGE TRIMMING	MECHANISED TRIMMING ON ALL 4 SIDES UPTO MM LEVEL PRECISION	<b>DIMENSIONAL ACCURACY, HENCE TIME SAVING FOR CARPENTERS</b>
WARP RESISTANCE	SMALL CUT IN BATTENS IN ORDER TO PROVIDE MARGIN FOR EXPANSION	<b>SMOOTH SURFACE AND NO UNDULATION</b>
EDGE TRIMMING	MECHANISED TRIMMING ON ALL 4 SIDES UPTO MM LEVEL PRECISION AND CONTRACTION	<b>DIMENSIONAL ACCURACY, HENCE TIME SAVING FOR CARPENTERS</b>
LOCK IMPACT RESISTANCE	40 KG LOAD IS GIVEN ON CENTRE POSITION WHICH IS LOCK AREA	<b>HIGHER STRENGTH AT LOCK AREA</b>
BATTEN CUTS	CAREFULLY CUT LONGER BATTENS GIVING THEM SPACE TO EXPAND	<b>PREVENTS WARPING AND BRINGS DIMENSIONAL STABILITY - CLOSING OF DOORS WITHOUT A CREAKING SOUND</b>

## BRANCH ADDRESSES

### EAST ZONE

**BHUBANESWAR:** Century Plyboards (India) Ltd., Plot No- 40 / 41, Bomikhakl, Rasulgarh, NH-5, Khordha, Bhubaneswar, Odisha - 751 010. Ph: 8260282262

**GUWAHATI:** Century Plyboards (India) Ltd., H. No. 24, Ground Floor, Piyali Phokan Road, Rehabori, Guwahati - 781 008. Ph: 0361-2737871/ 2736838

**KOLKATA:** Century Plyboards (India) Ltd., Century House, P15/1, Taratala Road, Kolkata-700088 Ph: 033-30217900

**PATNA:** Century Plyboards (India) Ltd., Shivkunj Apartment, Ground Floor, Behind Chandi Vyappar Bhawan, Exhibition Road - 800 001. Ph: 07061821877/ 08252548455

**RAIPUR:** Century Plyboards (India) Ltd., Plot No. 9, "J.C.B", Kedia Business Park, Tatiband, Raipur, Chhattisgarh - 492 001. Ph: 07804029895, 09098140920

**RANCHI:** Century Plyboards (India) Ltd., Mahadev Path, DAV School Road, Near Kathalmore, Post-Lalghutwa, Ranchi - 834 005. Ph: 0651-2525417/09525107391

### WEST ZONE

**AHMEDABAD:** Century Plyboards (India) Ltd., 1006 - 1009, 10<sup>th</sup> Floor, Sakar - 3, Near Income Tax Circle, Ashram Road, Ahmedabad - 380014. Ph: 079-39403950

**MUMBAI: REGIONAL OFFICE**  
Century Plyboards (India) Ltd. 15<sup>th</sup> Floor, Range Heights, Behram, Baug, Opp. Kajupada Bus Stop, Jogeshwari (West), Mumbai - 400102. Ph: 022-39403950

**NAGPUR:** Century Plyboards (India) Ltd., 202, Crystal Plaza, 276 Central Bazar Road, Ramdaspath, Nagpur - 440 023. Ph: 0712-3223921/22

**PUNE:** Century Plyboards (India) Ltd., Winners Courts, Office No. 402, 4<sup>th</sup> Floor, Above ZK's Restaurant, Lulla Nagar Chowk, Pune - 411 040.. Ph: 020-26831140

**SURAT:** Century Plyboards (India) Ltd., 305, Royal trade Center, 3<sup>rd</sup> Floor, Opp. Star Bazar, Adajan Surat - 395 009. Ph: 09687610172

### SOUTH ZONE

**BENGALURU:** Century Plyboards (India) Ltd., #92, 3<sup>rd</sup> Floor, HJS Chambers, Richmond Road, Bangalore - 560 025. Ph: 080-39403950

**CHENNAI:** Century Plyboards (India) Ltd., 2/1 Sattana Naicken Street, Inside Nehru Timber Market, Choolai, Chennai - 600 112. Ph: 044-3054450

**COIMBATORE:** Century Plyboards (India) Ltd., No.169/1C, Goundaiyan Thottam, Appanaicken Palayam, K.Vadamadurai Post, Coimbatore - 641 017. Ph: 07601805143

**HYDERABAD:** Century Plyboards (India) Ltd., No. 405A, 4<sup>th</sup> Floor, Minverva Commercial Complex, S.D.Road, Secunderabad - 500 003. Ph: 040-39403950

**KOCHI:** Century Plyboards (India) Ltd., 24- B, Alakalathil Bldg, Marottichuvadu, Edapally (PO), Kochi - 682 024. Ph: 0484-6566999/2575103

**MADURAI:** Century Plyboards (India) Ltd., No. 67, Madurai Mandapam Main Road, Iravathanallur - 625 009.

**VIJAYAWADA:** Century Plyboards (I) Ltd., D.No: 76/18/245, Plot No:245, Iron Complex, Bhavanipuram, Vijayawada - 520 012. Ph: 0866-2412088

### NORTH ZONE

**NEW DELHI:** Century Plyboards (India) Ltd., Room No. 203, II Floor, Rajnigandha Building, 5/2 D.B Gupta Road, Paharganj, New Delhi - 110 055. Ph: 011-30122948

**GHAZIABAD:** Century Plyboards (India) Ltd., C-21, 1<sup>st</sup> Floor, Meerut Road, Industrial Area Near DPS School, Ghaziabad, (UP) - 201 003. Phone: 0120-4205605. Ph: 0120-4205605

**GURGAON:** Century Plyboards (India) Ltd., Rao Prahlad Appt, Upper Ground Floor, Rajendra Mkt, M.G.Road, Sikanderpur, Gurgaon (HR) - 122 002. Ph: 0124-4257049/07827845456

**INDORE:** Century Plyboards (India) Ltd., AA/11,"Papal Tower", Scheme No.54, Satya Sai Square, A.B. Road, Indore, (M.P.) - 452 010. Ph: 0731-3221621

**JAIPUR:** Century Plyboards (India) Ltd., E-52, Road No. 4, Behind, V.K.I. Police station, V.K.I. Area, Jaipur - 302 013. Ph: 0141-3064500/512

**LUCKNOW:** Century Plyboards (India) Ltd., E-1/139, Phase-2 Opp.Parking No.07, Transport Nagar, Lucknow - 226 012. Ph: 0522-3063500 to 509

**LUDHIANA:** Century Plyboards (India) Ltd., Shop No.58,1<sup>st</sup> Floor, New Grain Market, Gill Road, Ludhiana, Punjab - 141 003. Ph: 0161-5059825,5061025,5067025,5065732

**UDAIPUR:** Century Plyboards (India) Ltd., Shop No.8, Shree Niketan, Parking Side, 380 Ashok Nagar - 313 001. Ph: 0294-2410456